

PITTSBURGH® PAINTS

MANOR
HALL

TIMELESS™

SUPER PREMIUM EXTERIOR
APPLICATION TIPS



AVAILABLE IN
FLAT, SATIN AND SEMI-GLOSS

TIPS ON APPLYING MANOR HALL® TIMELESS™ EXTERIOR SUPER PREMIUM PAINT

The cross linking 100% acrylic resin technology and high film build of Manor Hall Timeless Exterior Paint yields a much thicker layer of paint for a stronger, more durable finish. This, in combination with its self-priming formula, means Timeless can provide one-coat coverage for a lifetime of beauty and protection. Because of the paint's non-conventional technology, proper application is critical for success. Here are some tips on applying Timeless and ensuring it will last a lifetime. Guaranteed.

1. SELECT APPROPRIATE SPRAY EQUIPMENT.

If spraying, the spray unit should be capable of delivering flow rate of 1 gallon/minute to handle the viscosity of the material without dilution. We recommend 0.015-0.021" tip size for 1800-2400 psi.

2. KNOW YOUR SUBSTRATE.

Film build, color and gloss may vary depending on the substrate's porosity. More porous substrates may require a second coat to achieve a uniform appearance.

3. KNOW YOUR COLORS.

With many colors, one coat is all you should apply. However, keep in mind that darker colors or drastic color changes may require more than one coat to achieve initial color uniformity.

4. ALLOW ENOUGH DRY TIME IF RECOATING.

Heavier films demand longer recoat/cure times. A minimum of 4 hours is recommended before recoating. Extremes in temperature and humidity prolong dry times.

5. DO NOT DILUTE THE PRODUCT.

There is no need to dilute the product with water or other additives. Doing so will compromise the paint's overall performance properties. Use as is!

6. OVERBUILDING IS BAD.

Remember, Timeless goes on thicker than conventional paints. Using more is not necessarily better! This is especially true for windows and doors.

Please reference the Technical Data Sheet for more information.



www.pittsburghpaints.com • www.ppgdealer.com
PPG Architectural Finishes, Inc. • One PPG Place
Pittsburgh, PA 15272 • Technical Services: 1-800-441-9695